EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	(@ad<"20020617" or @rlad<"20020617") and (TCS0)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:17
L3	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
L4	11	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (empty or zero)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
L5	2	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and ((empty or zero) with clos$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:18
L6	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:27
L7	0	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (channel adj closure adj message)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:27
L8	2	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) and (CLC)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
L9	303	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
L10	0	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC) and CLCAck	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
L11	0	(@ad<"20020617" or @rlad<"20020617") and (CLC) and CLCAck	US-PGPUB; USPAT	OR	ON	2009/03/31 09:33
L12	0	(@ad<"20020617" or @rlad<"20020617") and (TCS) and (CLC) and "H.323"	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
L13	3	(@ad<"20020617" or @rlad<"20020617") and (TCS0)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34

L14	33	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
L15	1	(@ad<"20020617" or @rlad<"20020617") and (terminal adj capability adj set) with (clos$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:34
L16	3788	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set) or TCS) with (clos$3 or end$3 or terminat$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:35
L17	3788	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set) or "TCS") with (clos$3 or end$3 or terminat$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:35
L18	32	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos$3 or end$3 or terminat$3)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
L19	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos$3 or end$3 or terminat$3) with TCS	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
L20	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) and (clos$3 or end$3 or terminat$3) with TCS$	US-PGPUB; USPAT	OR	ON	2009/03/31 09:36
L21	295925	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) with zero or empty	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
L22	0	(@ad<"20020617" or @rlad<"20020617") and ((terminal adj capability adj set)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
L23	1389	(@ad<"20020617" or @rlad<"20020617") and ((TCS)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
L24	3340	(@ad<"20020617" or @rlad<"20020617") and "H.323"	US-PGPUB; USPAT	OR	ON	2009/03/31 09:37
L25	138	(@ad<"20020617" or @rlad<"20020617") and "H.323" and terminal adj capability	US-PGPUB; USPAT	OR	ON	2009/03/31 09:38

L26	17	(@ad<"20020617" or @rlad<"20020617") and "H.323" and terminal adj capability and (handoff or handover or "hand-off" or "hand-over")	US-PGPUB; USPAT	OR	ON	2009/03/31 09:39
S1	3063	(@ad<"20020617" or @rlad<"20020617") and "H.323"	US-PGPUB; USPAT	OR	ON	2008/02/12 13:54
S2	4	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (hold with rerout$3)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:55
S3	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (pause with rerout$3)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:55
S4	57	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus$3 or hold $3) with (rerout$3 or retriev $3))	US-PGPUB; USPAT	OR	ON	2008/02/12 13:56
S5	1	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus$3 or hold $3) with (rerout$3 or retriev $3)) same (ack or acknowled $9 or confirm$6)	US-PGPUB; USPAT	OR	ON	2008/02/12 13:58
S6	46	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus$3 or hold $3) with (rerout$3 or retriev $3)) and (ack or acknowled $9 or confirm$6)	US-PGPUB; USPAT	OR	ON	2008/02/12 14:00
S7	21	(@ad<"20020617" or @rlad<"20020617") and "H.323" and ((paus$3 or hold $3) near2 (rerout$3 or retriev$3))	US-PGPUB; USPAT	OR	ON	2008/02/12 14:01
S8	3	(@ad<"20020617" or @rlad<"20020617") and ((paus$3) near2 (rerout$3))	US-PGPUB; USPAT	OR	ON	2008/02/12 14:29
S9	3	(@ad<"20020617" or @rlad<"20020617") and "TCS=0"	US-PGPUB; USPAT	OR	ON	2008/02/13 08:22
S10	1357	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:22

S11	2985	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) with (zero or empty or "0")	US-PGPUB; USPAT	OR	ON	2008/02/13 08:23
S12	550	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US-PGPUB; USPAT	OR	ON	2008/02/13 08:23
S13	18	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near (zero or empty or "0")	US-PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S14	45	(@ad<"20020617" or @rlad<"20020617") and (TCS or (termianl adj capability adj set)) near2 (zero or empty or "0")	US-PGPUB; USPAT	OR	OFF	2008/02/13 08:24
S15	2	(@ad<"20020617" or @rlad<"20020617") and "H.323" with (close adj logical adj channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:30
S16	11	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close adj logical adj channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:32
S17	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (LCI)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:39
S18	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (CLC)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:44
S19	0	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close with LC)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:45
S20	41	(@ad<"20020617" or @rlad<"20020617") and ("H.323" or "H.245") with (close)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:45
S21	295	(@ad<"20020617" or @rlad<"20020617") and "H.225.0"	US-PGPUB; USPAT	OR	ON	2008/02/13 08:53

S22	76	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status))	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S23	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowled $7)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S24	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (confirmation or acknowled $7 or ack)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:54
S25	51	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) and (confirmation or acknowled $7 or ack)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:55
S26	0	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) with (close)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:57
S27	6	(@ad<"20020617" or @rlad<"20020617") and "H.225.0" with (RAS or (registration with admission with status)) same (confirmation or ack or acknowled$7)	US-PGPUB; USPAT	OR	ON	2008/02/13 08:57
S28	36	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm$6 or ack or acknowled$7) with close	US-PGPUB; USPAT	OR	ON	2008/02/13 09:15
S29	0	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm$6 or ack or acknowled$7) with close with always	US-PGPUB; USPAT	OR	ON	2008/02/13 09:15
S30	5	(@ad<"20020617" or @rlad<"20020617") and "H.323" and (confirm$6 or ack or acknowled$7) with close with request	US-PGPUB; USPAT	OR	ON	2008/02/13 09:16

S31	12	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with close with (all or every or each)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:18
S32	70	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with (terminat $4 or clos$3 or teardown or (tear adj down) with (all or every or each)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:20
S33	5	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with (terminat $4 or clos$3 or teardown or (tear adj down) with (all or every or each) with (connection or path or route)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:20
S34	6	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with (terminat $4 or clos$3 or teardown or (tear adj down)) with (all or every or each) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:21
S35	2	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with (terminat $4 or clos$3 or teardown or (tear adj down)) with (prompt) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:23
S36	5	(@ad<"20020617" or @rlad<"20020617") and (confirm$6 or ack or acknowled$7) with (terminat $4 or clos$3 or teardown or (tear adj down)) with (prompt$3) with (connection or path or route or channel)	US-PGPUB; USPAT	OR	ON	2008/02/13 09:23
S37	9	(@ad<"20020617" or @rlad<"20020617") and (terminat$4 or clos$3 or teardown or (tear adj down)) with (gateway) with (determin$3 or identify$3) with traffic	US-PGPUB; USPAT	OR	ON	2008/02/13 09:27

S38	5778	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection with (clos$3 or end$3))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:08
S39	1357	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection near2 (clos$3 or end$3))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:08
S40	4981	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection with (close or closure or closing or end$3)	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S41	972	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection with (close or closure or closing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S42	244	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection near2 (close or closure or closing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:09
S43	34	(@ad<"20020617" or @rlad<"20020617") and ((determin$3 or discover$3) with connection near2 (close or closure or closing) with (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:16
S44	468	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv$3 with (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23
S45	3091106	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv$3 naer2 (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23
S46	67	(@ad<"20020617" or @rlad<"20020617") and ((close or closure) near2 (signal or message) with receiv$3 near2 (time or timer or timing))	US-PGPUB; USPAT	OR	ON	2008/09/17 08:23

S47	9	("7412043" "7403515" "7408922" "7315537" "7327677" "7227922" "6466662" "6442268" "6781964").pn.	USPAT	OR	OFF	2008/09/17 08:39

3/31/09 10:08:31 AM
C:\ Documents and Settings\ jmattis\ My Documents\ EAST\ Workspaces\ 10518310.wsp